


Voluntary Integrated Management Plans

September 22, 2015



Overview

- Background
- Roles of agencies/stakeholders
- IMP Components
- IMP Process
- INSIGHT Web Tool



Background

- LB962 (2004)—Legally acknowledged hydrologically connected ground and surface waters
- Process for NRDs and NDR to work together to developing IMPs
 - IMPs initially in fully or over-appropriated basins
 - LB 764 (2010)-inclusion of voluntary IMP process


Background

- Voluntary IMP overarching objective
 - Achieve and sustain a balance between water uses and water supplies for the long term
- Protect existing water uses
- Proactive approach to water management
 - Example: If FA designation occurs in future, the Department and NRD may amend the IMP

Roles

NRD Role

- As a partner in writing the IMP
- Groundwater monitoring and controls
- Link for local involvement in the strategic development of the IMP



NDNR Role

- Also a joint partner in writing the plan
- Surface water monitoring and controls
- Provide technical support



NDNR's IMP Goals

- Build a foundation of data and tools to more effectively managed water uses/supplies
- Framework for efficient, transparent, comprehensive data acquisitions and exchanges
- Identify opportunities to better adapt to changing conditions
- Listen to local inputs to increase understanding of future water uses/needs

Stakeholder Roles

- Attend meetings and convey local water issues/concerns
- Provide input to development of IMP goals and objectives
- Inform/educate local groups about IMP process

IMP Development

Components of an IMP

- Required components
 - Goals/Objectives
 - Purpose to achieve a balance between uses and supplies
 - Map of Geographic Area
 - One or more GW controls (§ 46-739)
 - One or more SW controls (§ 46-716)
 - Monitoring Program
- Additional components
 - Action items to achieve goals/objectives
 - Evaluation and review process
 - Education and outreach plan
 - Incentive programs

Goals, Objectives and Action Items

- Goals: Define what a group wants to accomplish
 - Provide the context from which meaningful objectives and action items are developed
- Objectives: Define the measurable outcomes that a group seeks to accomplish in working toward goals
- Actions items: Describe the specific tasks that the NRD and NDNR will undertake

Controls

- Statutes require that IMPs have one or more
 GW and one or more SW control
 - Appropriate to achieve goals and objectives

GW controls authorized by § 46-739

- Limit GW expansion
- Transfers
- Municipal/Industrial Tracking
- Well-spacing
- Meters
- Educational requirements
- Certified Acres
- Allocations
- Rotations
- Acres Reduction

SW controls authorized by § 46-716

- Increased Monitoring
- Variance/Transfers
- Conservation
 Measures
- Moratoriums

Voluntary IMP Process

- NRD contacts NDNR to initiate process
- Determine integrated management area
- Stakeholder Meetings Consultation
 - Develop Goals and Objectives
 - Develop action items to achieve goals and objectives
- NRD/NDNR draft IMP

IMP Process

- Letter exchange between NRD and NDNR agreeing to draft plan
- Set and publish hearing date
- Joint public hearing
- NRD/NDNR consider testimony, if no changes to required components of plan...
- Publish orders to make IMP effective


IMPs Generally

- Evolve as the need arises
- No mandatory restrictions on new development
 - Irrigation
 - Municipal
 - Industrial
- Include local input and concerns
- Do not regulate water quality

IMP Long-term process



The INSIGHT Web Tool



The INSIGHT Web Tool

Explore the Niobrara Basin

Use this page to explore hydrologic data for the Niobrara Basin in the tab area below. If you'd rather learn more about one of the Niobrara's subbasins, use your mouse to hover over the map to the right and click on the subbasin you want to learn more about. Hydrologic data at the basin and subbasin levels are presented below in each tab by big picture, supplies, demands, nature and extent of use. and balance.

Navigate to another basin by selecting one from the drop-down list or use the back button in your browser to reach the statewide map to click on another basin in the map.



Basin Overview Big Picture Supply Demand Nature & Extent of Use Balance

At a Glance

Basin: Niobrara

Approximate Area: 11,600 square miles

Basin Water Supply: 1,471,515 acre-feet/year

Near Term Water Demand: 1,395,667 acre-feet/year

Long Term Water Demand: 1,518,762 acre-feet/year

Projected Water Demand: 1,594,700 acre-feet/year Number of Irrigated Acres: 590.153 acres *

Average Consumption by Sector (Acre-Feet)

	Surface Water		Groundwater	
Irrigation	161,049	100%	181,830	98%
Municipal	0	0%	4,128	2%
Industry	0	0%	15	0%

* Fields suffixed with a * display the most recent year's total. All other data displayed above is computed as an average of available years of record.

The Niobrara Basin is located mostly along the northern boundary of Nebraska and extends westward into Wyoming. The Niobrara Basin has an area of approximately 13,500 square miles, of which about 11,600 square miles are in Nebraska.


At its farthest western extent, the Niobrara River arises near Manville, Niobrara County, Wyoming, about 40 miles west of Harrison, Nebraska. The Niobrara extends to its confluence with the Missouri River, northwest of Niobrara, Knox County, Nebraska.

According to the 2010 U.S. Census, the largest city in the basin is Alliance, with a population of about 8,500. The next largest cities include Valentine (2,700), Ainsworth (1,700), Gordon (1,600), and Atkinson (1,200).

The topography of the western third of the Niobrara Basin consists primarily of plains and dissected plains. The upland plains are land which is flat to gently rolling, and dissected plains are where streams have cut into former plains creating hilly land with steep slopes and sharp ridge crests, along with remnants of the plains on the hilltops. The central third of the basin is mostly sand hills, which are sand dunes stabilized in place by a grass cover. The eastern third of the basin consists of sand hills, plains, and dissected plains. There are narrow valleys in the Niobrara Basin, which are the flat-lying areas along the Niobrara River. Bluffs and escarpments are common along the Niobrara River, and consist of steeply-sloped to vertical hillsides, often with bedrock exposed.

In the Niobrara Basin the aquifers are found in the Arikaree Group and the Ogallala Formation. The Arikaree Group consists generally of massive very fine to fine-grained sandstone; wells in the formation generally provide moderate to low yields. The Ogallala Formation consists of poorly sorted generally

The INSIGHT Web Tool



Integrated Water Management

- Voluntary IMP
- Balance water uses and supply
- NRDs and NDNR joint effort
- Stakeholder Input
- Continuous Process





Tim Freed Sr., M.S. Integrated Water Management Coordinator Nebraska Department of Natural Resources